

Table of Contents

1	Introduction	1
1.1	Follow up.....	1
1.2	Preparations.....	2
2	The goal.....	3
2.1	Typical steps to build an application	5
3	Tools.....	7
3.1	Studio	7
3.2	Database Builder	8
3.3	Database Explorer	9
3.3.1	Proper use.....	12
4	Workspaces	15
4.1	Workspace Paths.....	16
4.2	Default Database Type	17
4.3	Default files	19
4.4	The .WS file	20
5	Language	23
5.1	History	23
5.2	Source	24
5.2.1	Is DataFlex case sensitive?	24
5.3	Compiling	25
5.4	Virtual Machine	25
5.5	Syntax	26
5.6	Commands	27
5.7	Naming conventions.....	27
5.8	Variables.....	28
5.8.1	Types.....	29
5.8.2	Struct	31
5.8.3	Global.....	32
5.8.4	Local.....	33
5.8.5	Constants	34

5.9	Assignments	37
5.9.1	Assigning a property/function value	37
5.9.2	Expression body	37
5.9.3	Ordering in an expression	41
5.9.4	Short-circuit evaluation	42
5.9.5	Number of parentheses	42
5.10	Process control	43
5.10.1	Conditions	43
5.10.2	Compound statements	48
5.10.3	Looping statements	48
5.11	Procedures & Functions	52
5.11.1	Terminate and return a value	53
5.11.2	Parameters	53
5.11.3	Identifiers	54
5.11.4	Calling	55
5.11.5	Registering	59
6	Sequential I/O	63
6.1	Open device for Output or Input	63
6.1.1	Devices	63
6.1.2	Path	64
6.1.3	Status variables	65
6.2	Closing an opened device	66
6.3	Channels	66
6.3.1	Channel Management	67
6.4	Reading	68
6.4.1	Read	68
6.4.2	ReadLn	69
6.4.3	Read_Block	70
6.4.4	Read_Hex	71
6.4.5	Channel position	72
6.5	Writing	73
6.5.1	Write	73
6.5.2	WriteLn	73
6.5.3	Write_Hex	74

7	The Rich Features of the Visual DataFlex Studio	77
7.1	Source Editor / Visual Designer	77
7.2	Code Sense	77
7.2.1	StudioMetaData.mtd	78
7.2.2	List Members	78
7.2.3	Code Complete	79
7.2.4	Auto Complete	80
7.2.5	Parameter Info	81
7.2.6	Quick Info	82
7.2.7	Go To Definition	83
7.2.8	Object browsing	83
7.2.9	File browsing	84
7.3	Code Explorer	85
7.4	File Navigator	86
7.5	Workspace Explorer	86
7.6	DDO Explorer	87
7.7	Object Properties	88
7.8	Output Window	88
7.9	Problem Resolution	88
7.10	Find in Files Result	89
7.11	Class Palette	90
7.11.1	Floating menu	91
7.12	Nudge Objects	92
7.13	Arrange Objects	93
7.14	Drag Lock	94
8	Debugger	95
8.1	Integrated	95
8.2	Breakpoints	97
8.2.1	Step over	98
8.2.2	Step into	98
8.2.3	Step out	98
8.3	Call Stack	98
8.4	Variables	99
8.5	Message trace	100

8.5.1	Filters	101
8.5.2	Trace file	103
8.6	Watches.....	103
8.7	Tables	104
8.8	Modify the source	105
9	Create the application	107
9.1	Basic Project	108
9.2	oHTMLHelp object.....	110
9.3	oApplication object	110
9.3.1	Child Objects	111
9.4	Your code	111
9.5	Compiling.....	111
9.5.1	Using / including files	112
9.5.2	Precompile	113
10	The database	119
10.1	Tables, Columns and Rows	119
10.2	Indexes	120
10.2.1	Index facts	120
10.3	Relationships	121
10.4	Record Identity and RowId	123
10.5	Parameters.....	124
10.5.1	Maximum number of records.....	124
10.5.2	Record length	125
10.5.3	Multi user reread	125
10.5.4	Reuse deleted space	125
10.5.5	Header integrity checking	125
10.5.6	Compression	126
10.5.7	Transaction type	126
10.5.8	Lock type.....	126
10.5.9	Table revision.....	126
10.6	Creating tables & database	126
10.7	Column types	128
10.8	The filelist.....	129
10.8.1	Reserved filenumbers	129

10.8.2	Creating a new filelist	129
11	Creating and modifying tables	133
11.1	Data model.....	134
11.1.1	Table detail information	136
11.2	Create a new table	146
11.3	Data-Dictionaries	147
11.3.1	Generate DD's	147
11.4	The company table.....	148
11.4.1	The columns	149
11.4.2	Relationships	150
11.4.3	Index.....	150
11.4.4	Parameters	151
11.4.5	Save	152
11.5	The dept table	153
11.5.1	Relationships	153
11.5.2	Manually.....	154
11.5.3	With the wizard	155
11.6	Alias tables	155
11.6.1	Add to the filelist	155
11.6.2	Mark as Alias	156
12	Finding records	161
12.1	Open table	161
12.1.1	Open As	162
12.1.2	Close an opened table	162
12.2	The record buffer	162
12.3	Record ID.....	163
12.4	The Find	164
12.4.1	Find command.....	164
12.4.2	Clear the record buffer	164
12.4.3	Find the record	164
12.4.4	Was the find successful?	166
12.4.5	Find a particular record	167
12.4.6	Relationships	169

12.5	Constraints/Filters	171
12.5.1	Constraint_Set	171
12.5.2	Filter values	172
12.5.3	Constrained_Find operation	174
12.5.4	Constrain_Found_Count & Constrain_Tests_Count	175
13	Save and Delete	179
13.1	Create a new record	179
13.1.1	Save / SaveRecord	180
13.2	Update the record	181
13.3	Save in a loop	181
13.4	Lock	182
13.5	Unlock	183
13.6	Reread	184
13.7	Delete	185
13.8	Erase all data	185
13.8.1	Exclusive access needed	186
13.8.2	Relationships can change	186
14	Create a Windows Application	191
14.1	Windows Application	191
14.2	oApplication	192
14.2.1	Saving settings	192
14.3	oMain	194
14.4	Start_UI	194
14.5	Templates.....	195
14.6	Project Properties	195
14.6.1	General	196
14.6.2	Web Application	197
14.6.3	Version.....	197
14.6.4	Icons & Bitmaps	199
14.7	Compile and run	201
15	Object Orientation (the Objects)	205
15.1	Nesting / Hierarchy	207
15.2	Object addressing.....	208
15.2.1	Neighborhoods	210

15.3	Encapsulation.....	211
15.4	Methods.....	212
15.4.1	Public vs. Private.....	212
15.4.2	Instance inheritance	212
15.5	The parent object.....	214
15.6	Properties.....	214
15.6.1	Meta Data.....	216
15.6.2	Getting the value of a property	217
15.6.3	Assigning a value to a property	218
15.6.4	Complex properties	218
15.6.5	Arrays	219
15.6.6	Structs.....	220
16	Object Orientation (the Classes)	223
16.1	Predefined classes.....	224
16.2	Private vs. Public interface	224
16.2.1	ClassType	224
16.2.2	Visibility	225
16.3	Subclassing	225
16.3.1	Meta Data Tags.....	225
16.4	Single vs. Multiple inheritance	226
16.5	Polymorphism	227
16.6	Enhancements	228
16.6.1	Behavior change	228
16.6.2	Explicit delegation	231
16.7	Broadcast	232
16.7.1	Broadcast Recursive	233
16.7.2	Broadcast No_Stop.....	233
16.7.3	Broadcasting to all objects	234
16.8	Constructor methods	234
16.8.1	Construct_Object.....	234
16.8.2	End_Construct_Object	236
16.8.3	Define_Fields.....	237
16.9	Events.....	238
16.10	The Studio	239

16.10.1	Add class to component code.....	239
16.10.2	Add to a package file	240
16.10.3	Automated creation of subclasses.....	243
16.10.4	DFO Files	248
16.10.5	ClassList.XML	249
16.10.6	Class preferences.....	250
17	Create the views (part 1).....	257
17.1	Via the wizard.....	258
17.1.1	Component Names.....	258
17.1.2	Component Style	259
17.1.3	Selecting the Main DDO.....	260
17.1.4	Select Entry Fields.....	261
17.1.5	Labels, Alignment and Preview.....	262
17.1.6	Finish	264
17.1.7	Compile the application.....	264
17.1.8	Add code to the View	265
17.2	Self designed	266
17.2.1	Adding a DDO	267
17.2.2	Adding DEOs	269
17.2.3	Results	272
17.3	Moving controls to a different container	273
17.4	Accessing the Views	273
17.4.1	Activation Message.....	274
17.4.2	CommandBars	274
17.4.3	The Menubar	274
17.4.4	Status Help.....	276
17.4.5	View and ReportView	276
17.4.6	Key Mapping.....	277
17.4.7	Underlined?	277
18	Resize.....	281
18.1	Using the Anchors feature	282
18.2	Minimum and Maximum Size	284
18.3	OnResize.....	285
18.4	Column Resizing	286

19	DataDictionaries (part 1)	289
19.1	Child Objects	290
19.1.1	Local Record Buffer	290
19.1.2	HasRecord	292
19.2	Column Settings	292
19.2.1	Userinterface	292
19.2.2	Options	292
19.2.3	Validation / Lookup	298
19.2.4	Validation tables.....	305
19.2.5	Masks	313
19.2.6	Appearance	319
19.2.7	Other	321
19.3	Methods.....	326
19.3.1	Alias setting	328
20	Key Assignments	339
20.1	Physical keys	339
20.2	Accelerator keys.....	340
20.3	Key combinations.....	340
20.4	Key destination	340
20.5	Parameters.....	341
20.6	Private.....	341
20.7	Key procedure.....	341
20.8	Default_Key.....	342
21	Controls	344
21.1	Change the control types	344
21.2	Database awareness	347
21.2.1	Naming	347
21.2.2	Data Source	348
21.2.3	Action & Reaction.....	349
21.3	Values.....	350
21.4	Items	351
21.4.1	Item properties.....	351
21.4.2	Selecting Items	355

21.4.3	Current_Item	356
21.4.4	Item_Count.....	357
21.5	Dynamic_Update_State	357
21.6	Base Controls	358
21.7	Data Aware Controls	360
21.8	Base Containers.....	362
21.9	Data Aware Containers	363
21.10	Dialogs.....	364
21.11	Internet	364
21.12	Others	365
21.13	Menus and Toolbars.....	367
22	Create Selection Lists	371
22.1	Via the wizard.....	372
22.2	Manually via a template.....	378
22.2.1	Via the DD class	381
22.2.2	Via the DDO	382
22.3	Fine tuning	383
22.3.1	Resize.....	383
22.3.2	Ordering.....	384
22.3.3	Which Datadictionary?	385
22.4	Deferred.....	385
22.4.1	CD Popup flag	385
22.4.2	Deferred_State	387
22.5	dbList on a view.....	388
22.6	Invoking_Object_Id	388
22.7	Prompt	388
22.8	Prompt_Callback	388
23	DataDictionaries (Part 2)	395
23.1	Options.....	395
23.1.1	Field Options.....	395
23.1.2	Error Handling.....	397
23.1.3	Other settings	397
23.2	Structures.....	398
23.2.1	Delete Structure	398

23.2.2	Save Structure	400
23.2.3	External Structure.....	401
24	Data Dictionaries (Part 3).....	405
24.1	Order of messages	405
24.1.1	Creating records	405
24.1.2	Deleting records	406
24.1.3	Updating records	406
24.2	The events.....	406
24.2.1	Creating	406
24.2.2	Deleting	407
24.2.3	Update.....	408
24.2.4	Backout.....	408
24.2.5	Validate_Save	409
24.2.6	Validate_Delete	410
24.2.7	Save_Main_File	410
24.2.8	Delete_Main_File	411
24.2.9	Clear_Main_File.....	411
24.2.10	Relate_Main_File.....	412
24.2.11	Attach_Main_File	413
24.3	The initiating messages.....	414
24.3.1	Request_Save	414
24.3.2	Request_Delete	414
24.3.3	Request_Validate	415
24.4	Optimising the Field_Exit Method	416
24.5	Re-entrance of Data Dictionaries	418
25	Create the views (part 2).....	423
25.1	Department View	423
25.2	Column from Parent or Child?	424
25.3	Connecting parts.....	425
25.3.1	Inheritance	426
25.4	Employee Functions.....	427
25.5	Employees.....	428
25.5.1	Running the Wizard	428

25.5.2	Finished Result.....	435
25.5.3	Source code	442
26	Creating Dialogs to support a View	449
26.1	New Dialog	450
26.1.1	Add a DDO	451
26.1.2	Add the DEOs.....	452
26.1.3	Change the OK button	452
26.1.4	Add code to open the dialog	454
26.1.5	The Icon	455
26.2	New Data Entry View	456
26.2.1	Tell the compiler to include the Dialog source	456
26.2.2	Add a DDO	456
26.2.3	Add controls	456
26.2.4	Assign the datasource and columns	457
26.2.5	Change List Properties	457
26.2.6	The Buttons	458
26.2.7	The accelerator keys.....	459
26.2.8	List actions	459
27	Messages	467
27.1	Focus tree.....	467
27.2	Focus	469
27.2.1	ContainsFocus.....	470
27.3	Self	470
27.4	Activate	470
27.4.1	Activating.....	471
27.5	Popup objects	472
27.6	Deactivate	472
27.6.1	Deactivating.....	472
27.7	Entering.....	473
27.7.1	OnSetFocus.....	474
27.8	Exiting.....	474
27.8.1	OnKillFocus	475
27.9	Next focus object	475
27.9.1	Next_Focus	475

27.9.2	Next_Object_Id	476
27.9.3	Next message	476
27.10	Prior focus object	476
27.10.1	Prior_Focus.....	477
27.10.2	Prior_Object_Id	477
27.10.3	Previous message	477
27.11	Scope_State	478
27.11.1	Entering_Scope.....	478
27.11.2	Exiting_Scope	479
27.12	Client_Area_State	479
27.12.1	Next_Level / Previous_Level.....	479
27.13	Ring_State	481
27.13.1	OnChildWrapping	481
27.14	Enabled_State	481
27.14.1	Shadow_Display	482
27.15	Visible_State	482
27.16	Skip_State	483
27.17	Focus_Mode.....	483
27.18	Active_State	484
27.19	Delegation & the importance of Container Objects.....	484
28	Use of Filters.....	489
28.1	Relational constraints	489
28.1.1	One table only	491
28.1.2	Clear	492
28.2	Other constraints	492
28.2.1	Constrain Table.Column	492
28.2.2	Constrain As.....	493
28.2.3	Inherit constraints	494
28.3	Changing constraints while the program runs	495
29	Timers	501
29.1	DfTimer	501
29.1.1	Activation	501
29.1.2	Timeout	501

29.1.3	Timer messages	502
29.2	cIdleHandler	502
30	Templates	513
30.1	Config folder	513
30.2	Create new template	513
30.3	Templates.xml	517
31	Import & Export	519
31.1	Export	519
31.1.1	Output Format	519
31.1.2	Options	520
31.1.3	Column Selection	520
31.1.4	Index selection	521
31.1.5	Export directly or via a program / reportview	521
31.2	Import	522
32	Batch / Business Process	527
32.1	BusinessProcess class	527
32.2	Internal or External?	528
32.3	DDO	528
32.3.1	Text Type Columns	528
32.4	DoProcess	529
32.5	OnProcess	529
32.6	Status report	530
32.7	Cancel the process	531
32.8	Errors	532
32.9	Logging	532
32.9.1	Log to file	533
32.9.2	Log to Table	534
33	Reporting	539
33.1	Report View	539
33.2	BasicReport	539
33.2.1	Employees Report	539
33.2.2	Employees per Department Report	550
33.3	WinPrint	556

33.3.1	The Functions List Report	556
33.4	Crystal Reports	561
33.4.1	The object.....	561
33.4.2	The wizard	561
33.4.3	The Visual Result	567
33.4.4	The Report Object	568
33.4.5	Pathing	571
33.4.6	Running multiple reports.....	572
34	Libraries.....	577
34.1	How to create a new library?.....	577
34.2	Adding information to the library	578
34.2.1	Project	578
34.2.2	A new function package	578
34.3	Add the library to your application	581
35	Add Bells and Whistles	585
35.1	Bitmaps	585
35.1.1	Displaying bitmaps from a record	585
35.1.2	Displaying Bitmaps as a Backdrop	586
35.1.3	Bitmap properties.....	586
35.1.4	Embedded	586
35.2	Sounds	588
35.2.1	Bell signal.....	589
35.2.2	Playing sound files	590
36	ToolPanel	591
36.1	Creation in the Studio	591
36.2	On Top	591
36.2.1	Package.....	591
36.2.2	Class.....	591
36.2.3	OnActivateApp	592
36.2.4	OnDeactivateApp	593
37	Storing User Settings.....	595
37.1	Registry	595
37.1.1	Application based	596

37.2	INI Files.....	597
37.2.1	Accessing an INI file	598
37.2.2	Reading from the INI file.....	598
37.2.3	Writing to the INI file	599
38	Trouble shooting	603
38.1	DDO Explorer.....	603
38.2	Table relationships	603
38.3	Related table is missing.....	604
38.4	Orphan Records	605
38.5	System tables	606
38.6	Isolate views.....	606
38.7	Create a small test project	607
39	Deployment	609
39.1	Visual DataFlex	609
39.2	Crystal Reports	609